L Number	Hits	Search Text	DB	Time stamp
1	1058	network$5 with printer$5 same printer$5 adj2 driver$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:10
2	180	network$5 with printer$5 with printer$5 adj2 driver$5 with (install$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:12
3	49	(network$5 with printer$5 with printer$5 adj2 driver$5 with (install$5)) and @ad<20001003	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:31
4	5650	(358/1.15).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:30
5	105	(update$5 with printer$5) with (time$4 date$5) same (host computer$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:31
6	18	((358/1.15).ccls.) and ((update$5 with printer$5) with (time$4 date$5) same (host computer$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:31
7	10	(((358/1.15).ccls.) and ((update$5 with printer$5) with (time$4 date$5) same (host computer$5))) and @ad<20001003	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:31
-	2	"20020024682"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 10:53
-	5	(("5283661") or ("6151707") or ("6098050") or ("5263152") or ("5794007")).PN.	USPAT	2004/07/22 10:54
-	2	5283661.URPN.	USPAT	2004/07/22 10:56
-	467	(update$5 with printer$5) with (time$4 date$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:11
-	2	("4570035" | "4916637").PN.	USPAT	2004/07/22 11:10
-	65	((update$5 with printer$5) with (time$4 date$5) same (host computer$5)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:17
-	1	(enter$5 stor$4) adj4 (printer$5 adj2 time near4 date)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:17
-	7	(enter$5 stor$4) with (printer$5 adj2 time near4 date)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:17

-	6	((enter$5 stor$4) with (printer$5 adj2 time near4 date)) not ((enter$5 stor$4) adj4 (printer$5 adj2 time near4 date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:17
-	4	(((enter$5 stor$4) with (printer$5 adj2 time near4 date)) not ((enter$5 stor$4) adj4 (printer$5 adj2 time near4 date))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:01
-	5	(host$5 computer$5) with (enter$5 input$5 updat$5) same ((printer$5 facsimil$5 copy adj2 machine$5) adj4 (time near4 date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:52
-	54	(host$5 computer$5) with (enter$5 input$5 updat$5) same ((printer$5 facsimil$5 copy adj2 machine$5) with (time near4 date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:00
-	49	((host$5 computer$5) with (enter$5 input$5 updat$5) same ((printer$5 facsimil$5 copy adj2 machine$5) with (time near4 date))) not ((host$5 computer$5) with (enter$5 input$5 updat$5) same ((printer$5 facsimil$5 copy adj2 machine$5) adj4 (time near4 date)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:01
-	36	(((host$5 computer$5) with (enter$5 input$5 updat$5) same ((printer$5 facsimil$5 copy adj2 machine$5) with (time near4 date))) not ((host$5 computer$5) with (enter$5 input$5 updat$5) same ((printer$5 facsimil$5 copy adj2 machine$5) adj4 (time near4 date)))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:14
-	94	(printer$5 adj2 (date near4 time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:12
-	57	((printer$5 adj2 (date near4 time))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:50
-	170	(set$5 with (printer$5 copy adj2 machine facsimile$3) with (date near4 time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:07
-	57	(((printer$5 adj2 (date near4 time))) and @ad<20000120) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:51
-	121	((set$5 with (printer$5 copy adj2 machine facsimile$3) with (date near4 time))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:05
-	1	(new install$5 replac$5 upgrad$5) adj4 (printer$5 facsimil$5 copy adj2 machine$5 form$5 adj2 apparatus$5) with (time near4 date) same (set$5 input$5 enter$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:06
-	1	((new install$5 replac$5 upgrad$5) adj4 (printer$5 facsimil$5 copy adj2 machine$5 form$5 adj2 apparatus$5) with (time near4 date) same (set$5 input$5 enter$5)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:09

C:\APPS\EAST\Workspaces\FY 2004\4th qtr\09759351.wsp

-	2	(((enter$5 input$5) with (printer$5 copy adj2 machine facsimile$3) with (date near4 time)) same (new$5 upgrad$5)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:12
-	3	((enter$5 input$5) with (printer$5 copy adj2 machine facsimile$3) with (date near4 time)) same (new$5 upgrad$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:11
-	1	((enter$5 input$5) with (printer$5 copy adj2 machine facsimile$3) with (date near4 month)) same (new$5 upgrad$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:12
-	7	((enter$5 input$5) with (printer$5 copy adj2 machine facsimile$3) with (date near4 month))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:14
-	7	(((enter$5 input$5) with (printer$5 copy adj2 machine facsimile$3) with (date near4 month))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:15
-	55	((set$5 enter$5 input$5) same (printer$5 copy adj2 machine facsimile$3) same (date near4 month))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:15
-	48	(((set$5 enter$5 input$5) same (printer$5 copy adj2 machine facsimile$3) same (date near4 month))) not ((((enter$5 input$5) with (printer$5 copy adj2 machine facsimile$3) with (date near4 month))) and @ad<20000120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:15
-	41	((((set$5 enter$5 input$5) same (printer$5 copy adj2 machine facsimile$3) same (date near4 month))) not ((((enter$5 input$5) with (printer$5 copy adj2 machine facsimile$3) with (date near4 month))) and @ad<20000120)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:49
-	8	5363204.URPN.	USPAT	2004/07/22 13:22
-	9	("2642492" | "4587633" | "4648062" | "4774590" | "4896223" | "4937762" | "4965676" | "5072309" | "5105284").PN.	USPAT	2004/07/22 13:26
-	334	(enter$5 input$5 set$5) with ((printer$5 copy adj2 machine$5 facsimile$5) adj4 (date time month year)) same (host computer$4 network$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:01
-	214	(enter$5 input$5 set$5) with ((printer$5 copy adj2 machine$5 facsimile$5) adj4 (date time month year)) with (host computer$4 network$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:10
-	140	((enter$5 input$5 set$5) with ((printer$5 copy adj2 machine$5 facsimile$5) adj4 (date time month year)) with (host computer$4 network$5)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:33
-	0	(enter$5 input$5 set$5) adj4 ((printer$5 copy adj2 machine$5 facsimile$5) adj4 ((date near4 (time month) year))) with (host computer$4 network$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:15

–	10	(enter$5 input$5 set$5) with ((printer$5 copy adj2 machine$5 facsimile$5) adj4 ((date near4 (time month) year))) with (host computer$4 network$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:28
–	0	JP411289417	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:21
–	2	"11289417"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:21
–	50	(enter$5 input$5 set$5) with ((printer$5 copy adj2 machine$5 facsimile$5) adj4 ((date near4 (time month))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:30
–	1	(update$5 adj4 printer$5 adj2 (time)) same host	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:33
–	34	((enter$5 input$5 set$5) with ((printer$5 copy adj2 machine$5 facsimile$5) adj4 ((date near4 (time month)))))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:38
–	3	(update$5 with printer$5 adj2 (time)) same host	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:34
–	2	"10098538"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:39
–	2	("5969827").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:41
–	2	"07321968"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:43
–	3	"06116661"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:48
–	0	(adjust$5 adj5 (printer$5 adj2 (date near4 month)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:49
–	0	(adjust$5 with (printer$5 adj2 (date near4 month)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:49
–	6	(adjust$5 with (printer$5 with (time near4 date))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:55

-	14	adjust$5 with (printer$5 with (time near4 date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:52
-	48	adjust$5 adj4 (printer$5 with (time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:54
-	9	adjust$5 adj4 (printer$5 adj4 (clock))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:53
-	40	adjust$5 adj4 (printer$5 adj4 (time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:54
-	19	(adjust$5 adj4 (printer$5 adj4 (time))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:59
-	126	(new install$5) adj4 printer$5 same ((enter$5 input$5 sett$5) with (time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:58
-	83	((new install$5) adj4 printer$5 same ((enter$5 input$5 sett$5) with (time))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:59